

## LifeSize Video Communications Systems Configuration Preferences Version 4.7

This document presents a visual depiction of the preferences users and administrators can set to configure the following LifeSize video communications systems using software release v4.7:

- LifeSize Room series
- LifeSize Team series


**Note:** LifeSize Team is not supported with software release v4.7.


- LifeSize Express series


For a visual depiction of the preferences users and administrators can set to configure LifeSize Passport, refer to the technical note *LifeSize Passport Configuration Preferences*.

These diagrams represent the organizational flow of these preferences as they appear in the user interface. The default value for each preference is listed in parenthesis, where applicable.

**Note:** Red underlined model names designate model-specific preferences.







**Calls**

Outgoing Call Bandwidth: (Auto)  
Incoming Call Bandwidth: (Auto)  
Outgoing Total Bandwidth: (1152 kb/s)  
Incoming Total Bandwidth: (1152 kb/s)  
Auto Bandwidth: (Enabled)  
Maximum Call Time: (8 hours)  
Maximum Redial Entries: (10)  
Auto Answer: (Disabled)  
Auto Answer Mute: (Enabled)  
Auto Answer Multiway Call: (Enabled)  
Admission Control: (Enabled)

**Audio**

- Audio Codec Order:
1. AAC-LC
  2. Polycom® Siren14™ (48 kb/s)
  3. Polycom® Siren14™ (32 kb/s)
  4. Polycom® Siren14™ (24 kb/s)
  5. G.711 (A-Law)
  6. G.729
  7. G.728
  8. G.711 (μ-Law)
  9. G.722

Audio Codec Order: (see list on this page)  
Active Microphone: (Auto)  
Active Microphone Volume: (5)  
Line In Volume: (5) [LifeSize Room](#), [LifeSize Team MP](#), [LifeSize Express](#), [LifeSize Express 200](#), [LifeSize Express 220](#)  
Line In 1 Volume: (5) [LifeSize Room 200](#), [LifeSize Room 220](#), [LifeSize Team 200](#), [LifeSize Team 220](#)  
Line In 1 Association: (Any Input) [LifeSize Room 200](#), [LifeSize Room 220](#), [LifeSize Team 200](#), [LifeSize Team 220](#)  
Line In 2 Volume: (5) [LifeSize Room 200](#), [LifeSize Room 220](#), [LifeSize Team 200](#), [LifeSize Team 220](#)  
Line In 2 Association: (Any Input) [LifeSize Room 200](#), [LifeSize Room 220](#), [LifeSize Team 200](#), [LifeSize Team 220](#)  
Primary Audio Output Test: (Off)  
Auxiliary Audio Input Volume: (5) [LifeSize Room](#)  
Auxiliary Audio Input Association: (Auxiliary Video Input) [LifeSize Room](#)  
Auxiliary Audio Output Test: (Off) [LifeSize Room](#)  
Audio Mute: (All Inputs)  
Video Call Audio Output: (HD Out) [LifeSize Express](#), [LifeSize Express 200](#), [LifeSize Express 220](#), [LifeSize Room 200](#), [LifeSize Room 220](#), [LifeSize Team 200](#), [LifeSize Team 220](#); (Line Out) [LifeSize Room](#), [LifeSize Team MP](#)  
Voice Call Audio Output: (Phone)  
Line Out Treble: (0 dB)  
Line Out Bass: (0 dB)  
Ring Tone Volume: (5)  
DTMF Tone Volume: (5)  
Status Tone Volume: (5)

**Telepresence**

Telepresence: (Disabled)  
HD Camera 1 Movement: (Unlocked)  
HD Camera 2 Movement: (Unlocked) [LifeSize Room](#), [LifeSize Room 200](#), [LifeSize Room 220](#), [LifeSize Team 200](#), [LifeSize Team 220](#), [LifeSize Express](#)  
HD Camera 3 Movement: (Unlocked) [LifeSize Room 200](#), [LifeSize Room 220](#)

